

Reference List

1. Abellàn J, et al. Radiological evidence of femoroacetabular impingement in asymptomatic athletes. *Br J Sports Med* 2011;45:333.
2. Ahumada LA, Ashruf S, et al. Athletic pubalgia: Definition and surgical treatment. *Ann Plastic Surg.* 2005;55:393-396.
3. Anderson FC, Pandy MG. Individual muscle contribution to support in walking. *Gait Posture.* 2003;17:159-169.
4. Anderson K, Strickland SM, Warren R. Hip and groin injuries in athletes. *Am J Sports Med.* 2001;29:521-533.
5. Anderson LA, et al. Coxa profunda: is the deep acetabulum overcovered? *Clin Orthop Relat Res.* 2012;470:3375-3382.
6. Austin A, Souza R, Meyer J, Powers C. Identification of abnormal hip motion associated with acetabular labral pathology. *J Orthop Sports Phys Ther.* 2008;38:558-565.
7. Baldon R, Nakagawa T, Muniz T, et al. Eccentric hip muscle function in females with and without patellofemoral pain syndrome. *J Athl Train.* 2009;44:490-496.
8. Beighton P, Horan FT. Orthopaedic aspects of the Ehlers-Danlos syndrome. *J Bone Joint Surg Br.* 1969;51:444-453.
9. Benson ER, Schutzer SF. Posttraumatic piriformis syndrome: diagnosis and results of operative treatment. *J Bone Joint Surg.* 1999;81:941-949.
10. Birmingham PM, Kelly BT, et al. The effect of dynamic femoroacetabular impingement on pubic symphysis motion. *Am J Sports Med.* 2012;40:1113-1118.
11. Birnbaum K, et al. Anatomical and biomechanical investigations of the iliotibial tract. *Surg Radiol Anat.* 2004;26:433-446.
12. Blomberg JR, et al. Cross-sectional analysis of iliopsoas muscle-tendon units at the sites of arthroscopic tenotomies. *Am J Sports Med.* 2011;39(Suppl 1):58S-63S.
13. Boling M, et al. A prospective investigation of biomechanical risk factors for patellofemoral pain syndrome. *Am J Sports Med.* 2009;37:2108-2116.
14. Boster IB, et al. Tears of the Ligamentum Teres: Prevalence in hip arthroscopy using 2 classification systems. *Am J Sports Med.* 2011;(39) 117S-125S.
15. Bowman KF, Fox J, Sekiya JK. A clinically relevant review of hip biomechanics. *Arthroscopy.* 2010;26:1118-1129.
16. Boyd KT, Peirce NS, Batt ME. Common hip injuries in sport. *Sports Med.* 1997;24:273-280.
17. Briggs KK, Philippon MJ, et al. Prevalence of abnormal hip findings in asymptomatic subjects. *Arthroscopy.* 2012;28(6):Suppl 2: e65.
18. Buller LT, Rosneck J, et al. Relationship between proximal femoral and acetabular alignment in normal hip joints using 3D CT. *Am J Sports Med.* 2012;40:367-375.
19. Byrd JWT, Jones KS. Arthroscopic management of femoroacetabular impingement in athletes. *Am J Sports Med.* 2011;39(Suppl 1):7S-13S.
20. Byrd JWT. Examination of the hip: history and physical examination. *North Am J Sports Phys Ther.* 2007;2:231-240.

21. Byrd JWT. Femoroacetabular impingement in athletes, part 1: cause and assessment. *Sports Health*. 2010;4:321-333.
22. Byrd JWT. Hip arthroscopy in the athlete. *North Am J Sports Phys Ther*. 2007;2:217-230.
23. Byrd JWT, Jones KS. Hip arthroscopy in athletes: 10-year follow-up. *Am J Sports Med*. 2009;37:2140-2143.
24. Byrd JWT, Jones KS. Traumatic rupture of the ligamentum teres as a source of hip pain. *Arthroscopy*. 2004; 20:385-391.
25. Byrne DP, Mulhall KJ, Baker JF. Anatomy and biomechanics of the hip. *The Open Sports Medicine Journal*. 2010;4:51-57.
26. Campbell WW, Landau ME. Controversial entrapment neuropathies. *Neurosurg Clin N Am*. 2008;19:597-608.
27. Choudhry NK, et al. Systematic review: the relationship between clinical experience and quality of health care. *Ann Intern Med*. 2005;142:260-273.
28. Closhisy JC, et al. Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009;467:638–644.
29. Crossley K, et al. A systematic review of physical interventions for patellofemoral pain syndrome. *Clin J Sport Med*. 2001;11:103-110.
30. Dierks T, et al. Proximal and distal influences on hip and knee kinematics in runners with patellofemoral pain during a prolonged run. *J Orthop Sports Phys Ther*. 2008;38:448-456.
31. Domb BG, et al. Arthroscopic capsulotomy, capsular repair, and capsular plication of the hip: relation to atraumatic instability. *Arthroscopy*. 2013;29:162-173.
32. Domb BG, et al. Outcomes of Endoscopic Gluteus Medius Repair With Minimum 2-Year Follow-up. *Am J Sports Med*. 2013;41:988-997.
33. Domb BG, et al. Partial-thickness tears of the gluteus medius: rationale and technique for trans-tendinous endoscopic repair. *Arthroscopy*. 2010;26(12):1697-1705.
34. Domb BG, Stake CE, Botser IB, et al. Surgical dislocation of the hip versus arthroscopic treatment of femoroacetabular impingement: a prospective matched-pair study with average 2-year follow-up. *Arthroscopy*. 2013;29:1506-1513.
35. Earl J, et al. Activation of the VMO and VL during dynamic mini-squat exercises with and without isometric hip adduction. *J Electromyogr Kinesiol*. 2001;11:381-386.
36. Ekstrom R, Donatelli R, Carp K. Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther*. 2007;37:754-762.
37. Ellenbecker TS, et al. Descriptive profile of hip rotation range of motion in elite tennis players and professional baseball pitchers. *Am J Sports Med*. 2007;35:1371-1376.
38. Enseki K, Martin R, Draovitch P, et al. The hip joint: arthroscopic procedures and postoperative rehabilitation. *J Orthop Sports Phys Ther*. 2006;36:516-525.
39. Fabricant PD, et al. Clinical outcomes after arthroscopic psoas lengthening: The effect of femoral version. *Arthroscopy*. 2012;28:965-971.
40. Fairclough J, et al. The functional anatomy of the iliotibial band during flexion and extension of the knee: implications for understanding iliotibial band syndrome. *J Anat*. 2006;208:309–316.
41. Fitzgerald RH, Jr. Acetabular labrum tears. Diagnosis and Treatment. *Clin Orthop Relat Res*. 1995;60-68.

42. Flanum ME, et al. Arthroscopic treatment of the painful "internal" snapping hip: Results of a new endoscopic technique and imaging protocol. *Am J Sports Med.* 2007;35:770-779.
43. Fredericson M, et al. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med.* 2000;10:169-175.
44. French HP, Galvin R, Cusack T, McCarthy GM. Predictors of short-term outcome to exercise and manual therapy for people with hip osteoarthritis. *Phys Ther.* 2014;94:31-39.
45. Fry R, Domb B. Labral base refixation in the hip: rationale and technique for an anatomic approach to labral repair. *Arthroscopy.* 2010;26(Suppl 1):S81-S89.
46. Fukuda TY, et al. Open kinetic chain exercises in a restricted range of motion after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2013;41:788-794.
47. Ganz R, Leunig M, et al. The etiology of osteoarthritis of the hip: an integrated mechanical concept. *Clin Orthop Relat Res.* 2008;466:264-272.
48. Gerhardt M, et al. Characterisation and classification of the neural anatomy in the human hip joint. *Hip Int.* 2012;22:75-81.
49. Gerhardt MB, et al. The prevalence of radiographic hip abnormalities in elite soccer players. *Am J Sports Med.* 2012;40:584-588.
50. Goyal D, Keyhani S, Lee EH, et al. Evidence-Based Status of Microfracture Technique: A Systematic Review of Level I and II Studies. *Arthroscopy.* 2013;29:1579-1588.
51. Grant JA and Mohtadi NGH. Two- to 4-Year Follow-up to a comparison of home versus physical therapy-supervised rehabilitation programs after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2010;38(7):1389-1394.
52. Gray AJR, Villar RN. The ligamentum teres of the hip: an arthroscopic classification of its pathology. *Arthroscopy.* 1997;13:575-578.
53. Griffen KM, Henry CO, Byrd JWT. Rehabilitation after hip arthroscopy. *J Sport Rehabil.* 2000;9:77-88.
54. Hack K, et al. Prevalence of cam-type femoroacetabular impingement morphology in asymptomatic volunteers. *J Bone Joint Surg Am.* 2010;92(14):2436-2444.
55. Hackney RG. The sports hernia: A cause of chronic groin pain. *Br J Sports Med.* 1993;27:58-62.
56. Hansen BJ, et al. Correlation between radiographic measures of acetabular morphology with 3D femoral head coverage in patients with acetabular retroversion. *Acta Orthopaedica.* 2012; 83(3): 233-239.
57. Hananouchi T, Yasui Y, Yamamoto K, et al. Anterior impingement test for labral lesions has high positive predictive value. *Clin Orthop Relat Res.* 2012;470:3524-3529.
58. Haviv B, et al. Arthroscopic treatment for acetabular labral tears of the hip without bony dysmorphism. *Am J Sports Med.* 2011;39(Suppl 1): 79S-84S.
59. Henak CR, Ellis BJ, et al. Role of the acetabular labrum in load support across the hip joint. *J Biomech.* 2011;44(12):2201-2206.
60. Hewett TE, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med.* 2005;33:492-501.
61. Huang R, Diaz C, Parvizi J. Acetabular labral tears: Focused review of anatomy, diagnosis, and current management. *Phys Sportsmed.* 2012;40:87-93.
62. Ireland M, Wilson J, Ballantyne B, Davis I. Hip strength in females with and without patellofemoral pain. *J Orthop Sports Phys Ther.* 2003;33:671-676.

63. Ito K, Leunig M, et al. Histopathologic features of the acetabular labrum in femoroacetabular impingement. *Clin Orthop Relat Res.* 2004;262-271.
64. Ilizaliturri VM, Camacho-Galindo J, et al. Soft tissue pathology around the hip. *Clin Sports Med.* 2011;30:391-415.
65. Johnson JK, et al. Anteroposterior thickening of the femoral neck with aging decreases the "offset" in men. *Am J Sports Med.* 2012;40:2213-2217.
66. Kapron AL, et al. Hip internal rotation is correlated to radiographic findings of cam femoroacetabular impingement in collegiate football players. *Arthroscopy.* 2012;28:1661-1670.
67. Kelley BT, Riley JW, Philapon MJ. Hip arthroscopy: current indications, treatment options, and management issues. *Am J Sports Med.* 2003;31:1020-1037.
68. Kim YS, et al. Is early passive motion exercise necessary after arthroscopic rotator cuff repair? *Am J Sports Med.* 2012;40(1):815-821.
69. Kivlan BR, et al. Response to diagnostic injection in patients with femoroacetabular impingement, labral tears, chondral lesions, and extra-articular pathology. *Arthroscopy.* 2011;27:619-627.
70. Krych AJ, et al. Arthroscopic labral repair versus selective labral debridement in female patients with femoroacetabular impingement. *Arthroscopy.* 2013;29:46-53.
71. Lage LA, Patel JV, Villar RN. The acetabular labral tear: an arthroscopic classification. *Arthroscopy.* 1996;12:269-272.
72. Larson CM, et al. Arthroscopic debridement versus refixation of the acetabular labrum associated with femoroacetabular impingement. *Am J Sports Med.* 2012;40:1015-1021.
73. Larson CM, et al. Treatment of athletes with symptomatic intra-articular hip pathology and athletic pubalgia/sports hernia: a case series. *Arthroscopy.* 2011;27(6):768-775.
74. Laprade J, et al. Comparison of five isometric exercises in the recruitment of the vastus medialis oblique in persons with and without patellofemoral pain syndrome. *J Orthop Sports Phys Ther.* 1998;27:197-204.
75. Lewis CL. Extra-articular snapping hip: a literature review. *Sports Health.* 2010;2:186-190.
76. Lind M, Nielsen T, Faunø P, et al. A prospective randomized trial comparing free with restricted rehabilitation regimens. *Am J Sports Med.* 2013;41(12):2753-2758.
77. Lodhia P, et al. Patient-reported outcome instruments for femoroacetabular impingement and hip labral pathology: a systematic review of the clinimetric evidence. *Arthroscopy.* 2011;27:279-286.
78. Loubert PV, Zipple JT, Klobucher MJ, et al. In vivo ultrasound measurement of posterior femoral glide during hip joint mobilization in healthy college students. *J Ortho Sports Phys Ther.* 2013;43:534-541.
79. Lynch TS, Terry MA, Bedi A, Kelly BT. Hip arthroscopic surgery: patient evaluation, current indications, and outcomes. *Am J Sports Med.* 2013;41:1174-1189.
80. Márquez-Arabia WH, et al. Regrowth of the psoas tendon after arthroscopic tenotomy: a magnetic resonance imaging study. *Arthroscopy.* 2013;29:1308-1313.
81. Martin HD, et al. The pattern and technique in the clinical evaluation of the adult hip: the common physical examination tests of hip specialists. *Arthroscopy.* 2010;26:161-172.
82. Martin RL, Enseki KR, et al. Acetabular Labral Tears of the Hip: Examination and diagnostic challenges. *J Orthop Sports Phys Ther.* 2006;36(7):503-515.
83. McCarthy JC, Lee J. Hip arthroscopy: indications, outcomes, and complications. *J Bone Joint Surg Am.* 2005;87:1138-1145.

84. McCarthy JC, Noble PC, et al. The role of labral lesions to development of early degenerative hip disease. *Clin Orthop Relat Res.* 2001;25-37.
85. McCormick F, et al. Vascular safe zones in hip arthroscopy. *Am J Sports Med.* 2011;39(Suppl 1):64S-71S.
86. Meira EP, Brumitt J. Influence of the hip on patients with patellofemoral pain syndrome: a systematic review. *Sports Health.* 2011;3(5):455-465.
87. Meyers WC, et al. Management of severe lower abdominal or inguinal pain in high-performance athletes. *Am J Sports Med.* 2000;28:2-8.
88. Montgomery SR, et al. Trends and Demographics in Hip Arthroscopy in the United States. *Arthroscopy.* 2013;29:661-665.
89. Mushaweck U, Berger LM. Sportsmen's groin – diagnostic approach and treatment with the minimal repair technique: a single-center uncontrolled clinical review. *Sports Health.* 2010;2:216-221.
90. Myers CA, Register BC, et al. Role of the acetabular labrum and the iliofemoral ligament in hip stability. *Am J Sports Med.* 2011;39(Suppl 1):85S-91S.
91. Ng VY, et al. Efficacy of surgery for femoroacetabular impingement: a systematic review. *Am J Sports Med.* 2010;38:2337-2345.
92. Noehren B, Davis I, Hamill J. Prospective study of the biomechanical factors associated with iliotibial band syndrome. *Clin Biomech.* 2007;22:951-956.
93. Notzli HP, et al. The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement. *J Bone Joint Surg Br.* 2002;84:556-560.
94. Paterno MV, et al. Biomechanical Measures During Landing and Postural Stability Predict Second Anterior Cruciate Ligament Injury After Anterior Cruciate Ligament Reconstruction and Return to Sport. *Am J Sports Med.* 2010;38:1968-1978.
95. Philippon MJ, Decker MJ, Giphart JE, et al. Rehabilitation exercise progression for the gluteus medius muscle with consideration for iliopsoas tendinitis: an in vivo electromyography study. *Am J Sports Med.* 2011;39:1777-1785.
96. Philippon MJ, et al. Arthroscopic management of femoroacetabular impingement. *Am J Sports Med.* 2007;35:1571-1580.
97. Philippon MJ. The role of arthroscopic thermal capsulorrhaphy in the hip. *Clin Sports Med.* 2001;20:817-829.
98. Powers C. The influence of altered lower-extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. *J Orthop Sports Phys Ther.* 2003;33:639-646.
99. Powers C, et al. Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. *J Orthop Sports Phys Ther.* 2003;33:677-685.
100. Randelli F, et al. Heterotopic ossifications after arthroscopic management of femoroacetabular impingement: the role of NSAID prophylaxis. *J Orthopaed Traumatol.* 2010;11:245–250.
101. Reurink G, et al. Reliability and validity of diagnosing acetabular labral lesions with magnetic resonance arthrography. *J Bone Joint Surg Am.* 2012;94:1643-1648.
102. Robell K, James S, Safran M. Incidence of femoral acetabular impingement syndrome at one collegiate athletics program: a two-year, single institution study. *Arthroscopy.* 2013;29(Suppl):e194-e195.

103. Robinson TK, Griffen KM. Rehabilitation. In: Byrd JWT, ed. *Operative Hip Arthroscopy*. New York, NY: Springer-Theime; 2004:236-251.
104. Rothenfluh E, Zingg P, et al. Influence of resection geometry on fracture risk in the treatment of femoroacetabular impingement. *Am J Sports Med*. 2012;40(9):2002-8.
105. Selkowitz DM, Beneck GJ, and Powers CM. Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes. *J Orthop Sports Phys Ther*. 2013;43:54-64.
106. Silva F, Adams T, Feinstein J, Arroyo RA. Trochanteric bursitis: refuting the myth of inflammation. *J Clin Rheumatol*. 2008;14:82-86.
107. Silvis ML, et al. High prevalence of pelvic and hip magnetic resonance imaging findings in asymptomatic collegiate and professional hockey players. *Am J Sports Med*. 2011;39(4):715-721.
108. Souza R, Draper C, Fredericson M, Powers C. Femur rotation and patellofemoral joint kinematics: a weight-bearing MRI analysis. *J Orthop Sports Phys Ther*. 2010;40(5):277-285.
109. Springer BA, et al. Acetabular labral Tears: diagnostic accuracy of clinical examination by a physical therapist, orthopaedic surgeon, and orthopaedic residents. *North Am J Sports Phys Ther*. 2009;4:38-45.
110. Stalzer S, Wahoff M, Scanlon M. Rehabilitation following hip arthroscopy. *Clin Sports Med*. 2006;25:337-357.
111. Strauss EJ, Nho SJ, Kelly BT. Greater trochanteric pain syndrome. *Sports Med Arthrosc Rev*. 2010;18(2):113-119.
112. Tackson SJ, Krebs DE, Harris BA. Acetabular pressures during hip arthritis exercises. *Arthritis Care Res*. 1997;10:308-319.
113. Tibor LM, Sekiya JK. Differential diagnosis of pain around the hip joint. *Arthroscopy*. 2008;24:1407-1421.
114. Unverzagt CA, Schuemann T, Mathisen J. Differential Diagnosis of a sports hernia in a high-school athlete. *J Orthop Sports Phys Ther*. 2008;38:63-70.
115. Verrall GM, et al. Description of pain provocation tests used for the diagnosis of sports-related chronic groin pain: relationship of tests to defined clinical and MRI criteria. *Scand J Med Sci Sport*. 2005;15:36-42.
116. Voight ML, Robinson K, Gill L, Griffin, K. Postoperative Rehabilitation Guidelines for Hip Arthroscopy in an Active Population. *Sports Health*. 2010;2:222-230.
117. Waryasz G, McDermott A. Patellofemoral pain syndrome (PFPS): a systematic review of anatomy and potential risk factors. *Dyn Med*. 2008;7:9.
118. Willcox EL and Burden AM. The influence of varying hip angle and pelvis position on muscle recruitment patterns of the hip abductor muscles during the clam exercise. *J Orthop Sports Phys Ther*. 2013;43:325-331.
119. Williams BS, Cohen SP. Greater trochanteric pain syndrome: a review of anatomy, diagnosis and treatment. *Anesth Analg*. 2009;108:1662-1670.
120. Willy RW, Scholz JP, Davis IS. Mirror gait retraining for the treatment of patellofemoral pain in female runners. *Clin Biomech*. 2012;27:1045-1051.
121. Winston P, et al. Clinical examination and ultrasound of self-reported snapping hip syndrome in elite ballet dancers. *Am J Sports Med*. 2007;35(1):118-126.